

06/06/2019

To,  
The Directors  
Grandslam Developers Pvt Ltd  
A-40 , Ithum , Sector-62 Noida  
Uttar Pradesh ( India ) 201309

Dear Sir ,

A Lot of regular follow up from last 4-5 days , Verbal communication with your team as well as email communication, Still Air Condition Problem is not resolve by your team in the offices of Tower A and Tower B . As you know that due to air condition system is not working properly there is suffocation & heat in all the offices due to this it is not possible to work and sit in the office . Due to this issue from last four days all of us losing the business and getting the big financial loss in terms of loosing existing business work & opportunities .

Dear Director / Management ,

Kindly confirm/ Advice to Whom we blame for this business loss & Finance loss as staff salary etc ( Your Planning team , Technical Team , Management etc. ) and How we all will be get reimburse/ Compensate for this direct business financial loss by you or your team .



Now we ( all owners and association ) wants to know what is your corrective and preventive action on AC problem and what is the last date/ Time of this problem become resolve and air conditioning work smoothly in all our offices . We also want to know your backup plan for future after rectification. if these problem occurs again .

Please take this matter on priority and take the necessary action with immediate effect . We are waiting for your confirmation and reply.

Note - This is very alarming situation that presently only Less then 50% offices are running in tower B , Ideal office running in Tower A , Tower C is not running . When all Towers A, B , C run together what happen .....????

Thanks

Ithum Office Owners Welfare Association,  
A-40, Sector 62,  
NOIDA-201301  
[www.ithumowa.org.in](http://www.ithumowa.org.in)



**I thum Office Owners Welfare Association**

A-40, I - Thum, Sector - 62, Noida, U.P. - India, 201309, Ph.: 0120 - 4302874, 4291741 | E mail : info@ithumowa.org.in, ithumowa@gmail.com